



MP50 swing gates

Single and double leaf swing gates

The MP50 swing gates with folded mesh, designed and manufactured exclusively by Indusmetal Torres, are the best option for those who are looking for a high quality and functional gate. Product that fulfills the highest expectations.



Parks and gardens



Individual properties



Collective properties

Product with quality certification



Indusmetal Torres
Sistema de Gestión
ISO 9001:2015

General specifications of the MP50 swing gates

Pillars manufactured with square galvanised tube of specific dimensions and thickness according to the size of the gate.

Leaf manufactured with 50 x 50 x 1.5 mm galvanised tube and folded mesh of 200 x 50 x 5 mm welded in the inside of the tube.

Hinge system designed by IT that allows adjustment in all four directions and 180° opening.

Surface finishing



IT PINT
Steel + galvanising + plasticising



IT PINT PLUS
Steel + Sendzmir galvanising + primer + plasticising




IT PINT ULTRA
Steel + hot-dip galvanising + primer + plasticising



Standard RAL

Example of special textured RAL colors



All finishes have a nanotechnological passivation layer between the steel and the primer or plasticiser.

Any colour from the RAL chart.







Technical specifications of the MP50 swing gate

Technical specifications of the MP50 swing gate

Total dimensions of the installed gate (A x B)	Leaf measurements (C x D)	Pillars
1124 x 1087	971 x 1027	60 x 60 x 1,5
1124 x 1287	971 x 1227	60 x 60 x 1,5
1124 x 1587	971 x 1527	60 x 60 x 1,5
1124 x 2087	971 x 2027	60 x 60 x 1,5





Close-up of the MP50 hinge
180 ° opening and 4-way adjustment




Close-up of the MP50 lock
Ref. 726 20 mm stainless steel front

Openings






Indusmetal lock seen from the interior
Ref. 726 20 mm stainless steel front




Ground stop seen from the interior
Close-up of the IT ground stop



Technical specifications of the double leaf swing gate

Total dimensions of the installed gate (A x B)	Leaf measurements (C x D)	Pillars
2118 x 1087	1960 x 1027	60 x 60 x 1,5
2118 x 1287	1960 x 1227	60 x 60 x 1,5
2118 x 1587	1960 x 1527	60 x 60 x 1,5
2118 x 2087	1960 x 2027	60 x 60 x 1,5
3158 x 1587	2960 x 1527	80 x 80 x 2
3158 x 2087	2960 x 2027	80 x 80 x 2
4158 x 1587	3960 x 1527	80 x 80 x 2
4158 x 2087	3960 x 2027	80 x 80 x 2
5198 x 1587	4960 x 1527	100 x 100 x 3
5198 x 2087	4960 x 2027	100 x 100 x 3
6198 x 2087	5960 x 2027	100 x 100 x 3



60 pillars - 118 x 118 x 6 mm plate
80 pillars - 160 x 160 x 8 mm plate
100 pillars - 180 x 180 x 10 mm plate