




PERFORATED SHEET METAL gate

Single and double leaf perforated sheet metal gates

IT's perforated sheet metal gates are an excellent choice for quality fences and enclosures that require a combination of security and aesthetics.



Parks and gardens



Individual properties



Collective properties

Product with quality certification





General specifications of the perforated sheet metal

Gate manufactured with galvanised PDS 28 profiles and 1.5 mm thick flat perforated sheet metal. Pillars of 60 x 60 and 100 x 100 mm depending on the gate's size. Wing hinge with 180° opening, lock and handle.

Surface finishing

	IT PINT Steel + galvanising + plasticising
	IT PINT PLUS Steel + Sendzmir galvanising + primer + plasticising
	IT PINT ULTRA Steel + hot-dip galvanising + primer + plasticising





All finishes have a nanotechnological passivation layer between the steel and the primer or plasticiser.

Any colour from the RAL chart.






Technical specifications of the perforated sheet metal gate (single-leaf)




Reinforcement
Close-up of the 30 x 20 mm intermediate reinforcement tube



Perforated sheet metal
Close-up of the 30 x 30 mm perforated sheet metal

Openings




Technical specifications of the single-leaf perforated sheet metal gate

Total dimensions of the installed gate (A x B)	Leaf measurements (C x D)	Pillars for recessing	Pillars with plate
1145 x 1035	1000 x 0995	60 x 60 x 1,5 x 1300	60 x 60 x 1,5 x 1035
1145 x 1535	1000 x 1495	60 x 60 x 1,5 x 1850	60 x 60 x 1,5 x 1535
1145 x 2035	1000 x 1995	60 x 60 x 1,5 x 2400	60 x 60 x 1,5 x 2035



Technical specifications of the perforated sheet metal gate (double-leaf)



Technical characteristics of perforated sheet metal

Sheet 1,5 mm thick

Upright posts and crossbeam PDS 28 profile



Reinforcement

Close-up of the 30 x 20 mm intermediate
reinforcement tube



60 pillars - 118 x 118 x 6 mm plate

100 pillars - 180 x 180 x 10 mm plate

Technical specifications of the double-leaf perforated sheet metal gate

Total dimensions of the installed gate (A x B)	Leaf measurements (C x D)	Pillars for recessing	Pillars with plate
3235 x 1535	3015 x 1495	100 x 100 x 3,0 x 1850	100 x 100 x 3,0 x 1535
3235 x 2035	3015 x 1995	100 x 100 x 3,0 x 2400	100 x 100 x 3,0 x 2035
4235 x 1535	4015 x 1495	100 x 100 x 3,0 x 1850	100 x 100 x 3,0 x 1535
4235 x 2035	4015 x 1995	100 x 100 x 3,0 x 2400	100 x 100 x 3,0 x 2035