



Modular railing

Modular railing system

The Indusmetal Torres modular railing is a versatile solution for protection and safety in different types of spaces. Its easy installation saves time and costs, which makes it a practical and efficient option.



Individual properties



Collective properties



Parks and gardens



Sports areas



Industrial areas

Product with quality certification



Sistema de Gestión
ISO 9001:2015
www.torres.com
ID 910529438

Specifications of the modular railing

The modular railing consists of posts, a handrail and a horizontal crossbeam made of a Ø 50 or 60 mm galvanised steel tube. The posts and crossbeams are joined using modular railing bracket clamps, manufactured in 2.5 mm thick galvanised sheet metal. The Ø 60 mm modular railing can also be installed with the CEEN handrail and barred panel, electro-welded mesh or perforated sheet metal instead of the intermediate crossbeam. Both recessing posts or with a base plate are an option.

Surface finishing



IT PINT
Steel + galvanising + plasticising



IT PINT PLUS
Steel + Sendzmir galvanising + primer + plasticising




IT PINT ULTRA
Steel + hot-dip galvanising + primer + plasticising



Standard RAL




Example of special textured RAL colors




All finishes have a nanotechnological passivation layer between the steel and the primer or plasticiser.

Any colour from the RAL chart.





Technical information of the modular railing



Detail
Starting clamp




T detail
T-Clamp with Pillar and Crossbar



Cross clamp detail
Cross clamp, pillar, and crossbar clamp




Close-up of pillar with plate
Pillar with plate and escutcheon trim ring



Technical information of the modular railing

Ø Pillar	Handrail length	Crossbeam length	Centre-to-centre distance (A)
Ø 50	2760	2710	2770 ± 10 mm
Ø 60	2770		2780 ± 10 mm



Accessories for modular railing

T-clamp



Cross clamp



Starting clamp



Handrail bend made from the same tube as the crossbeams. A escutcheon to cover the anchor plate is also available.



CEEN electro-welded mesh panels



Close-up of the bracket clamps
T and cross clamps.



Close-up of the bracket clamps
T and starting clamps.

For assembly with CEEN panels
Ø 60 x 1,5 mm pillars and crossbeams